








**SPECIFICATIONS**

Current Rating: 15A AC,DC  
 Voltage Rating: 600V AC,DC  
 Temperature Range:  $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$   
 Contact Resistance:  $3.5\text{m}\Omega$  Max  
 Insulation Resistance:  $1000\text{M}\Omega$  Min  
 Withstanding Voltage: 5000V AC/minute  
 Pin Material: Brass/Tin-plated  
 Material: Nylon 66,UL94V-0  
 Color: Natural(White)

**Ordering Information & Dimensions**

PART NO.	Dimensions	
	A	B
C6350WV-02PFV0	6.35	13.97
C6350WV-03PFV0	12.70	20.32
C6350WV-04PFV0	19.05	26.67
C6350WV-05PFV0	25.40	33.02
C6350WV-06PFV0	31.75	39.37
C6350WV-08PFV0	44.45	52.07

		UNIT	SCALE	SHEET	TITLE:
		mm		1 of 1	<b>6.35mm PITCH</b> <b>180° SINGLE ROW WAFER,</b> <b>FEMALE TYPE</b>
		DRAWN BY	APPROVED BY		
		李勤	董正一		
		2006.02.25	2006.02.25		
		GENERAL TOLERANCE			
A1	REVISE	2007.09.14	X. X±0.25	ANGLE±	DRAW NO.: C6350WV-XPV0 REV. A1
A0	NEW RELEASE	2006.02.25	X. XX±0.15		
REV.	DESCRIPTION	DATE	X. XXX±0.05		



### SPECIFICATIONS

Current Rating: 15A AC,DC  
 Voltage Rating: 600V AC,DC  
 Temperature Range:  $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$   
 Contact Resistance: 3.5m $\Omega$  Max  
 Insulation Resistance: 1000M $\Omega$  Min  
 Withstanding Voltage: 5000V AC/minute  
 Pin Material: Brass/Tin-plated  
 Material: Nylon 66,UL94V-2  
 Color: Natural(Translucent)

### Ordering Information & Dimensions

PART NO.	Dimensions	
	A	B
C6350WV-F-02PFV2	6.35	13.97
C6350WV-F-03PFV2	12.70	20.32
C6350WV-F-04PFV2	19.05	26.67
C6350WV-F-05PFV2	25.40	33.02
C6350WV-F-06PFV2	31.75	39.37
C6350WV-F-08PFV2	44.45	52.07

				JOINT TECH ELECTRONIC IND. CO., LTD. JOY DAY INDUSTRIAL CO., LTD.	
UNIT	SCALE	SHEET	TITLE:		
mm		1 of 1	6.35mm PITCH 180° SINGLE ROW WAFER, POLARIZING PEG, FEMALE TYPE		
DRAWN BY 李勤		APPROVED BY 董正一			
2006.02.25		2006.02.25		C6350WV-F-XPV2	
GENERAL TOLERANCE			REV. A1		
A1	REVISE	2007.09.14	X. X±0.25	ANGLE±	
A0	NEW RELEASE	2006.02.25	X. XX±0.15		
REV.	DESCRIPTION	DATE	X. XXX±0.05		